# **Corpus-Steered Query Expansion with Large Language Models**

Yibin Lei<sup>1</sup>, Yu Cao<sup>2</sup>, Tianyi Zhou<sup>3</sup>, Tao Shen<sup>4</sup>, Andrew Yates<sup>1</sup>

<sup>1</sup>University of Amsterdam <sup>2</sup>Tencent IEG

<sup>3</sup>University of Maryland <sup>4</sup>University of Technology Sydney

{y.lei, a.c.yates}@uva.nl, rainyucao@tencent.com

tao.shen@uts.edu.au, tianyi@umd.edu

# Abstract

Recent studies demonstrate that query expansions generated by large language models (LLMs) can considerably enhance information retrieval systems by generating hypothetical documents that answer the queries as expansions. However, challenges arise from misalignments between the expansions and the retrieval corpus, resulting in issues like hallucinations and outdated information due to the limited intrinsic knowledge of LLMs. Inspired by Pseudo Relevance Feedback (PRF), we introduce Corpus-Steered Query Expansion (CSQE) to promote the incorporation of knowledge embedded within the corpus. CSQE utilizes the relevance assessing capability of LLMs to systematically identify pivotal sentences in the initially-retrieved documents. These corpusoriginated texts are subsequently used to expand the query together with LLM-knowledge empowered expansions, improving the relevance prediction between the query and the target documents. Extensive experiments reveal that CSQE exhibits strong performance without necessitating any training, especially with queries for which LLMs lack knowledge.<sup>1</sup>

# 1 Introduction

Query expansion enhances the effectiveness of information retrieval systems by incorporating additional texts into the original query, which are traditionally identified via pseudo-relevance feedback (Amati and Van Rijsbergen, 2002; Robertson, 1990) or by leveraging external lexical knowledge sources (Bhogal et al., 2007; Qiu and Frei, 1993). Recent studies (Gao et al., 2022; Wang et al., 2023; Jagerman et al., 2023; Mackie et al., 2023) show query expansions generated by LLMs are able to significantly boost retrieval effectiveness, especially in zero-shot scenarios. For instance, Gao




Figure 1: Overview of CSQE. Given a query *Biology definition* and the top-2 retrieved documents, CSQE utilizes an LLM to identify relevant document 1 and extract the key sentences from document 1 that contribute to the relevance. The query is then expanded by both these corpus-originated texts and LLM-knowledge empowered expansions (i.e., hypothetical documents that answer the query) to obtain the final results.

et al. (2022) demonstrates the effectiveness of utilizing LLMs to generate hypothetical documents answering the original query as additional texts to augment the query. Mackie et al. (2023) show the efficacy of applying pseudo-relevance feedback upon the LLM-generated answers for expansion. Despite variations in prompts or expansion methods, a common foundational element across these approaches is the reliance on the intrinsic knowledge of LLMs.

Despite their effectiveness, generations that rely on the intrinsic parametric knowledge within LLMs encounter various issues. These include hallucination (Zhang et al., 2023), inability to update (Kasai et al., 2022), and a deficiency in long-tail knowledge (Kandpal et al., 2023). Such generations may

<sup>&</sup>lt;sup>1</sup>Our code is publicly available at https://github.com/ Yibin-Lei/CSQE.

introduce irrelevant or misleading texts, degrading retrieval performance (Weller et al., 2023). These query expansions can be seen as an evolution of earlier query expansions reliant on external lexical knowledge. In contrast, tradition PRF that typically chooses additional texts from the top-retrieved documents, has received less attention. However, given that the expanded texts are sourced directly from the original documents, these methods hold significant potential for enhancing factuality.

To this end, we propose Corpus-Steered Query Expansion (CSQE). Unlike methods that rely on the intrinsic parametric knowledge of LLMs, CSQE exclusively leverages the strong relevance assessing capability of LLMs (Faggioli et al., 2023; Thomas et al., 2023). As illustrated in Figure 1, given a query and its initially retrieved documents, CSQE utilizes a LLM to first identify relevant documents to the query and then extracts pivotal sentences that contribute to their relevance. These corpus-originated texts are then combined together with LLM-knowledge empowered expansions to expand the original query. By incorporating query expansions that strictly originate from the corpus, CSQE balances out the limitations commonly found in LLM-knowledge empowered expansions.

To sum up, our contributions are 3-fold: 1) We propose CSQE, which exclusively exploits the relevance assessing capability of LLMs to overcome the hinderance posed by LLM-knowledge empowered expansions.

2) Experimental results reveal that CSQE combined with a simple BM25 model, without necessitating any training, outperform not only LLM-knowledge empowered expansion methods but also the SOTA supervised Contriever<sup>FT</sup> model across two high-resource web search datasets and six low-resource BEIR datasets.

3) Further analysis demonstrates the advantages of BM25 over dense retrieval with query expansion from LLMs, as well as query expansion over large-scale fine-tuning upon Contriever.

# 2 Method

In this section, we first describe how we implement a Knowledge Empowered Query Expansion baseline based on LLMs (KEQE), then present the details of CSQE to enhance BM25.

**KEQE** Inspired by recent works that directly generate hypothetical documents to answer the query via LLMs for boosting retrieval (Gao et al., 2022;

Wang et al., 2023; Jagerman et al., 2023; Mackie et al., 2023), we implement a KEQE baseline in a similar pattern for fair comparison. Given a query q, we use LLMs to generate the hypothetical answer a via a task-agnostic prompt shown in Table 1. The concatenation of q and a is then used as the expanded query to BM25 to retrieve the final results.

It is worth noting that these hypothetical documents are inevitably susceptible to issues like hallucination that can adversely affect retrieval performance, due to the limitation of LLMs' intrinsic knowledge. To mitigate such problems, we propose CSQE to incorporate corpus-originated expansions with knowledge embedded in the corpus.

| KEQE              | Prompt         |            |             |      |  |
|-------------------|----------------|------------|-------------|------|--|
| Please<br>Questio | write a passag | e to answe | r the quest | tion |  |
| Passag            |                |            |             |      |  |

Table 1: Prompt of KEQE.  $\{\cdot\}$  denotes the placeholder for the corresponding text.

**CSQE** Given a query q and the document collection  $\mathcal{D}$ , we first retrieve the top-k documents  $\{d_1, d_2, \ldots, d_k\}$  using BM25. Then we elicit large language models to directly perform pseudorelevance feedback via one-shot prompting as shown in Table 2, where the current retrieved documents are integrated. The learning context in the prompt is constructed from the TREC DL19 dataset for constraining the structure of generated texts. Noting that such a prompt remains unchanged for all tasks, we can therefore consider our method with minimal relevance supervision and being a zero-shot approach for all datasets excluding DL19 (which is used in the prompt).

Based on the above prompting, the generation of LLMs will contain (1) the indices of documents that are identified as relevant to the query and (2) the key sentences that contribute to their relevance, denoted as  $S = \{s_1, s_2, \ldots, s_n\}$ . Then we expand the query by concatenating q, all sentences in S, and the generations from KEQE to form a new query for BM25 retrieval, where the results in this turn are regarded as the final retrieved documents. Since these key sentences are usually identical to the existing texts in the corpus<sup>2</sup>, they are much less prone to issues such as hallucinations and shortness of long-tail knowledge and can balance out the limitations of KEQE expansions.

<sup>&</sup>lt;sup>2</sup>In our preliminary study, we found 830 out of 1000 key sentences extracted by GPT-3.5-Turbo are identical to sentences in the initially-retrieved documents.

To increase diversity, we sample N generations from the LLM for expansion. For KEQE, N = 5. As CSQE involves both KEQE and corpusoriginated expansions, we sample N = 2 for both KEQE and corpus-originated expansions, in total only 4 generations for fair comparison. We repeat the initial query q a number of times equal to the number of expansions during concatenation.

| CSOE | Prom | nf |
|------|------|----|
|      |      |    |

Query: "how are some sharks warm blooded"

"Most sharks are cold-blooded. Some, like the Mako and the Great white shark, are partially warm-blooded (they are endotherms)."

Document 3: "Great white sharks are some of the only warm-blooded sharks."

Query: " $\{q\}$ " Retrieved documents: 1.  $\{d_1\}$ 2.  $\{d_2\}$ 

## $\{k\}$ . $\{d_k\}$

You will begin by examining the initially retrieved documents and identifying the ones that are relevant, even partially, to the query. Once the relevant documents are identified, you will extract the key sentences from each document that contribute to their relevance.

Table 2: Prompt of CSQE.  $\{\cdot\}$  denotes the placeholder for the corresponding text. Refer to Appendix A.1 for the complete prompt.

## **3** Experiments

## 3.1 Setup

**Datasets.** Following Gao et al. (2022), we evaluate on (1) two web search datasets: TREC DL19 (Craswell et al., 2020) and TREC DL20 (Craswell et al., 2021), which are based on the high-resource MS-MARCO dataset (Bajaj et al., 2016); and (2) six low-resource retrieval datasets from BEIR (Thakur et al., 2021) covering a variety of domains (e.g., medicine and finance) and query types (e.g., news headlines and arguments).

**Baselines.** We consider baselines from two categories: PRF methods and query expansion methods using LLMs. The PRF method we include is **BM25+RM3** (Lavrenko and Croft, 2001; Jaleel et al., 2004). The query expansion methods with LLMs include: (1) **Contriever+HyDE**, a KEQE method that employs hypothetical documents generated by LLMs to enhance unsupervised Contriever (Izacard et al., 2022) model; (2) **BM25+GPR** (Mackie et al., 2023), a query

expansion method that applies PRF upon LLMknowledge empowered hypothetical texts. GPR is a strong baseline that outperforms multiple SOTA PRF methods; (3) **BM25+Q2D/PRF** (Jagerman et al., 2023), a method that given initially-retrieved documents generates hypothetical documents instead of extracting key sentences from them; and (4) **BM25+KEQE**.

Moreover, we also include three supervised dense retrievers that are trained with over 500k human-labeled data of MS-MARCO for reference: (1) **DPR**; (2) **ANCE**, which involves sophisticated negative mining; and (3) **Contriever<sup>FT</sup>**, which is the fine-tuned version of Contriever.

**Implementation.** We utilize GPT-3.5-Turbo<sup>3</sup> as our serving LLM for the trade-off between performance and cost. We sample from the LLM with a temperature of 1.0. BM25 retrieval and RM3 query expansion are performed using Pyserini (Lin et al., 2021) with default hyper-parameters. CSQE utilizes the top-10 retrieved documents, with each truncated to at most 128 tokens, excluding the Arguana dataset where we keep the top-3 documents due to its lengthy passages. To increase diversity, for each API call, we sample N generations. For KEQE, N = 5. As CSQE involves both KEQE and corpus-originated expansions, we sample N =2 for both KEQE and corpus-originated expansions, making only 4 generations total for fair comparison. The expanded query of each generation is further concatenated together to form the final query.

## 3.2 Web Search Results

Table 3 shows the retrieval results on TREC DL19 and DL20. CSQE is able to bring a substantially larger improvement over BM25 compared to the strong PRF baseline RM3. Despite utilizing fewer LLM generations for expansion, CSQE surpasses KEQE on 5/6 metrics, showing the effectiveness of our corpus-steered approach. Moreover, CSQE consistently outperforms GPR on 5/6 metrics, which employs PRF on KEQE expansions, emphasizing the necessity of corpus-steered expansions. Comparing to Q2D/PRF, CSQE shows superiority across all metrics. We interestingly find a phenomenon that if LLMs find no relevant documents in the initially-retrieved set, they will yield no expansions. However, in the case of Q2D/PRF, LLMs still need to generate documents, potentially

Retrieved documents: 1. Most sharks are cold-blooded. Some, like the Mako and the Great white shark, are

Partially warmblooded (they are endotherms)...
 Are sharks cold-blooded or warm-blooded? Sharks have a reputation as cold-blooded

and despite how negative that term is...3. Great white sharks are some of the only warm blooded sharks. This allows them to swim in colder waters in addition to warm, tropical waters...

You will begin by examining the initially retrieved documents and identifying the ones that are relevant, even partially, to the query. Once the relevant documents are identified, you will extract the key sentences from each document that contribute to their relevance.

Based on the query "how are some sharks warm blooded", I have examined the initially retrieved documents. Here are the relevant documents and the key sentences extracted from each: Document 1:

<sup>&</sup>lt;sup>3</sup>We use the GPT-3.5-Turbo-0301 version. In our preliminary study, updating HyDE's LLM from Text-Davinci-003 to GPT-3.5-Turbo cannot improve results.

|                          | DL19 |         |           | DL20 |         |           |
|--------------------------|------|---------|-----------|------|---------|-----------|
|                          | mAP  | nDCG@10 | Recall@1k | mAP  | nDCG@10 | Recall@1k |
| w/o training             |      |         |           |      |         |           |
| BM25                     | 30.1 | 50.6    | 75.0      | 28.6 | 48.0    | 78.6      |
| BM25+RM3                 | 34.2 | 52.2    | 81.4      | 30.1 | 49.0    | 82.4      |
| Contriever+HyDE          | 41.8 | 61.3    | 88.0      | 38.2 | 57.9    | 84.4      |
| BM25+GRF                 | 44.1 | 62.0    | 79.7      | 48.6 | 60.7    | 87.9      |
| BM25+Q2D/PRF             | 43.6 | 65.4    | 87.1      | 40.5 | 61.0    | 87.2      |
| BM25+KEQE                | 45.0 | 65.9    | 88.8      | 42.8 | 60.5    | 88.3      |
| BM25+CSQE                | 47.2 | 67.3    | 88.5      | 46.5 | 66.2    | 89.1      |
| reference. w/ training   |      |         |           |      |         |           |
| DPR                      | 36.5 | 62.2    | 76.9      | 41.8 | 65.3    | 81.4      |
| ANCE                     | 37.1 | 64.5    | 75.5      | 40.8 | 64.6    | 77.6      |
| Contriever <sup>FT</sup> | 41.7 | 62.1    | 83.6      | 43.6 | 63.2    | 85.8      |

Table 3: Results on TREC DL19 and DL20 datasets. In-domain supervised models DPR, ANCE and Contriever<sup>FT</sup> are trained on the MS-MARCO dataset and listed for reference. **Bold** indicates the best result across all models.

|                          | Scifact | Arguana | Trec-Covid | FiQA | DBPedia | TREC-NEWS | Avg. |
|--------------------------|---------|---------|------------|------|---------|-----------|------|
|                          |         | I       | nDCG@10    |      |         |           |      |
| w/o training             |         |         |            |      |         |           |      |
| BM25                     | 67.9    | 39.7    | 59.5       | 23.6 | 31.8    | 39.5      | 43.7 |
| BM25+RM3                 | 64.6    | 38.0    | 59.3       | 19.2 | 30.8    | 42.6      | 42.4 |
| Contriever+HyDE          | 69.1    | 46.6    | 59.3       | 27.3 | 36.8    | 44.0      | 47.2 |
| BM25+Q2D/PRF             | 71.7    | 41.4    | 73.8       | 29.0 | 37.1    | 47.6      | 50.1 |
| BM25+KEQE                | 70.5    | 40.7    | 66.6       | 22.0 | 38.8    | 48.3      | 47.8 |
| BM25+CSQE                | 69.6    | 40.3    | 74.2       | 25.0 | 40.3    | 48.7      | 49.7 |
| reference. w/ trainin    | ıg      |         |            |      |         |           |      |
| DPR                      | 31.8    | 17.5    | 33.2       | 29.5 | 26.3    | 16.1      | 25.7 |
| ANCE                     | 50.7    | 41.5    | 65.4       | 30.0 | 28.1    | 38.2      | 42.3 |
| Contriever <sup>FT</sup> | 67.7    | 44.6    | 59.6       | 32.9 | 41.3    | 42.8      | 48.2 |

Table 4: Results on low-resource retrieval datasets. Bold indicates the best result across all models.

being adversely affected by the presence of noisy documents (Yoran et al., 2023). Without any training, CSQE with simple BM25 is able to beat the SOTA Contriever<sup>FT</sup> model across all metrics by a substantial margin.

| Model     | nDCG@1 | nDCG@5 | nDCG@10 |
|-----------|--------|--------|---------|
| BM25      | 61.9   | 60.9   | 68.4    |
| BM25+KEQE | 50.0   | 48.7   | 62.0    |
| BM25+CSQE | 85.7   | 79.6   | 82.6    |
| RankGPT   | 76.2   | 74.2   | 75.7    |

Table 5: Results of CSQE on NovelEval. RankGPT refers to the GPT-3.5-Turbo-based reranker in Sun et al. (2023).

#### 3.3 Low-Resource Retrieval Results

The results on 6 low-resource BEIR datasets are shown in Table 4. Applying RM3 leads to performance drops on 5/6 datasets, while CSQE is robust to domain shifts and is able to consistently improve BM25 on all datasets. Although KEQE can achieve similar results as Contriever<sup>FT</sup>, CSQE is able to outperform both KEQE and Contriever<sup>FT</sup> by a large margin, demonstrating the strong generalizability of CSQE. CSQE remains competitive when compared to Q2D/PRF, verifying the importance of corpus knowledge in low-resource scenarios.

#### 4 Analysis

# 4.1 CSQE on Queries that LLMs Lack Knowledge

To further verify that the reduction of hallucination leads to the performance improvements, we evaluate CSQE on NovelEval (Sun et al., 2023). NovelEval is a test set with queries and passages published after the release of GPT-4, serving as a testbed where current LLMs have no knowledge and thus can only hallucinate. Following Sun et al. (2023), we report nDCG@1, nDCG@5, and nDCG@10. Interestingly, we find KEQE is not able to bring improvements while CSQE leads to remarkable improvements. Notably, BM25+CSQE outperforms a GPT-3.5-Turbo-based reranker which is more timeconsuming to run, providing additional confirmation of the effectiveness of CSQE.

#### 4.2 CSQE on Dense Retrieval

To test the versatility of CSQE, we apply CSQE on the unsupervised Contriever in Table 6. Following Gao et al. (2022), we encode each query expansion separately into dense embeddings and average their embeddings with the original query embedding as the final embedding. As the only difference between HyDE and KEQE on Contriever is their utilized LLMs (Text-Davinci-003 versus GPT-3.5-Turbo), we find they achieve similar results. Similar to the impact of CSQE on BM25, CSQE is able to improve Contriever significantly. Interestingly, it is worth noting that in all cases, Contriever performs worse than BM25. Surprisingly, query expansion (Contriever+CSQE) is proven to be more effective than fine-tuning the model using 500K human-labeled data (Contriever<sup>FT</sup>).

| Model                    | mAP  | nDCG@10 | Recall@1k |
|--------------------------|------|---------|-----------|
| Contriever               | 24.0 | 44.5    | 74.6      |
| +HyDE                    | 41.8 | 61.3    | 88.0      |
| +KEQE                    | 41.7 | 62.2    | 87.4      |
| +CSQE                    | 44.0 | 65.6    | 88.6      |
| BM25                     | 30.1 | 50.6    | 75.0      |
| +KEQE                    | 45.0 | 65.9    | 88.8      |
| +CSQE                    | 47.6 | 68.6    | 89.0      |
| Contriever <sup>FT</sup> | 41.7 | 62.1    | 83.6      |

Table 6: Results of CSQE on Contriever on DL19.

#### 4.3 CSQE with Different LLMs

We apply different LLMs for CSQE in Table 7. Utilizing Llama2-Chat-70B, we observe that BM25+CSQE outperforms MS-MARCO-tuned DPR, ANCE, and even Contriever<sup>FT</sup>. However, a noticeable performance gap persists between Llama models and GPT-3.5-Turbo. Furthermore, we observe a consistent performance improvement with the increase in model size for both CSQE and KEQE. Across the models, CSQE consistently outperforms KEQE, verifying the effectiveness of CSQE. This conclusion also applies to DL20 with the exception that BM25+CSQE with Llama2-Chat-70B can not outperform but obtains comparable performance to the fine-tuned dense retrieval models, as outlined in Appendix A.3.

# 4.4 Case Studies

Two qualitative examples of CSQE are shown in Table 8. As illustrated, KEQE has the tendency to hallucinate and introduce misleading unrelated keywords, while corpus-originated expansion in

| Model                    | mAP  | nDCG@10 | Recall@1k |
|--------------------------|------|---------|-----------|
| BM25+CSQE                |      |         |           |
| Llama2-Chat-7B           | 39.1 | 59.9    | 86.5      |
| Llama2-Chat-13B          | 41.4 | 61.6    | 86.1      |
| Llama2-Chat-70B          | 43.6 | 63.4    | 87.6      |
| GPT-3.5-Turbo            | 47.2 | 67.3    | 88.5      |
| BM25+KEQE                |      |         |           |
| Llama2-Chat-7B           | 37.5 | 57.1    | 82.0      |
| Llama2-Chat-13B          | 38.8 | 58.3    | 83.7      |
| Llama2-Chat-70B          | 40.9 | 59.3    | 84.9      |
| GPT-3.5-Turbo            | 45.0 | 65.9    | 88.8      |
| reference.               |      |         |           |
| DPR                      | 36.5 | 62.2    | 76.9      |
| ANCE                     | 37.1 | 64.5    | 75.5      |
| Contriever <sup>FT</sup> | 41.7 | 62.1    | 83.6      |

Table 7: Results of CSQE with different LLMs on DL19.

contrast is able to introduce meaningful and relevant texts to balance out KEQE's limitations.

| Query: What is the screen resolution of vision pro?<br>KEQE: Vision pro is a software product from zeiss that is used for data<br>management and evaluation in the field of optometry. However, since<br>vision pro is a software program, it doesn't have a screen resolution of<br>its own. Instead, the screen resolution you experience when using vision<br>pro will depend entirely on the specifications of your computer hardware<br>and display monitor<br>Corpus-Originated Expansion: The extremely high-resolution displays<br>are one of the many features that set vision pro apart from its competitors.<br>Vision pro uses micro-oled technology to pack 23 million pixels into<br>two displays, each the size of a postage stamp the vision pro display<br>resolution is one of the many benefits of the device over its rivals the |
|--|
| company refers to it as "micro-oled", which has led some to mistake it   |
| for microled   |
|  |
| Question: What are the new features of pytorch 2?<br>KEQE: Pytorch 2 brings a host of new features and improvements. No-<br>tably, it introduces a new feature called "hybrid frontend", which enables<br>users to write complex models using both pytorch and tensorflow syn-<br>tax. This allows for seamless integration of pytorch with other libraries<br>and frameworks, offering users greater flexibility and control over their<br>models   |
| Corpus-Originated Expansion: Pytorch 2.0 has been released with  |
| fundamental changes to the way it works at the compiler level, faster  |
| performance, and support for dynamic shapes and distributed. The   |
| new release includes a stable version of accelerated transformers; and   |
| torch.compile, a feature that improves pytorch performance   |

Table 8: Examples of CSQE on NovelEval. KEQE tends to produce non-factual and irrelevant texts, whereas Corpus-Originated Expansion introduces various meaningful and relevant texts. Certain expansions are omitted for the sake of space.

# 5 Conclusion

In this paper, we propose CSQE, which utilizes the relevance assessing ability of LLMs to balance out limitations associated with the intrinsic knowledge of LLMs. Experimental evaluation demonstrates CSQE's superiority over the LLM-knowledge empowered expansion methods and SOTA supervised Contriever<sup>FT</sup> model across various datasets.

# Limitations

We acknowledge two limitations in our work: computational overhead and reliance on closed-source models. The utilization of OpenAI LLMs necessitates API calls, resulting in increased processing time and latency. However, in retrieval tasks where latency is less crucial, such as legal case retrieval, our method may offer benefits. Moreover, our approach does not necessitate training, making it more accessible to researchers and practitioners without extensive GPU resources. Additionally, the unavailability of the LLMs' source models and training data restricts our ability to conduct thorough analysis. There may exist data contamination issues (Magar and Schwartz, 2022) where some of our test examples are already present in the training data of the LLMs.

We utilized ChatGPT to correct the grammar in our paper and ensured that none of the text was directly generated by ChatGPT.

# Acknowledgement

This research was supported by the Hybrid Intelligence Center, a 10-year program funded by the Dutch Ministry of Education, Culture and Science through the Netherlands Organisation for Scientific Research, https://hybrid-intelligence-centre.nl, and project VI.Vidi.223.166 of the NWO Talent Programme which is (partly) financed by the Dutch Research Council (NWO).

# References

- Gianni Amati and Cornelis Joost Van Rijsbergen. 2002. Probabilistic models of information retrieval based on measuring the divergence from randomness. *ACM Trans. Inf. Syst.*, 20(4):357–389.
- Payal Bajaj, Daniel Campos, Nick Craswell, Li Deng, Jianfeng Gao, et al. 2016. Ms marco: A human generated machine reading comprehension dataset. *arXiv preprint arXiv:1611.09268*.
- J. Bhogal, A. Macfarlane, and P. Smith. 2007. A review of ontology based query expansion. *Information Processing & Management*, 43(4):866–886.
- Nick Craswell, Bhaskar Mitra, Emine Yilmaz, Daniel Campos, and Ellen M. Voorhees. 2020. Overview of the trec 2019 deep learning track. *arXiv preprint arXiv:2003.07820*.
- Nick Craswell, Bhaskar Mitra, Emine Yilmaz, Daniel Campos, and Ellen M. Voorhees. 2021. Overview of the trec 2020 deep learning track. *arXiv preprint arXiv:2102.07662*.

- Guglielmo Faggioli, Laura Dietz, Charles L. A. Clarke, Gianluca Demartini, Matthias Hagen, Claudia Hauff, Noriko Kando, Evangelos Kanoulas, Martin Potthast, Benno Stein, and Henning Wachsmuth. 2023. Perspectives on large language models for relevance judgment. In *Proceedings of the 2023 ACM SIGIR International Conference on Theory of Information Retrieval*, ICTIR '23, page 39–50, Taipei, Taiwan. Association for Computing Machinery.
- Luyu Gao, Xueguang Ma, Jimmy Lin, and Jamie Callan. 2022. Precise zero-shot dense retrieval without relevance labels. *arXiv preprint arXiv:2212.10496*.
- Gautier Izacard, Mathilde Caron, Lucas Hosseini, Sebastian Riedel, Piotr Bojanowski, Armand Joulin, and Edouard Grave. 2022. Unsupervised dense information retrieval with contrastive learning. *Transactions* on Machine Learning Research.
- Rolf Jagerman, Honglei Zhuang, Zhen Qin, Xuanhui Wang, and Michael Bendersky. 2023. Query expansion by prompting large language models. *arXiv* preprint arXiv:2305.03653.
- Nasreen Abdul Jaleel, James Allan, W. Bruce Croft, Fernando Diaz, Leah S. Larkey, Xiaoyan Li, Mark D. Smucker, and Courtney Wade. 2004. Umass at trec 2004: Novelty and hard. In *Text Retrieval Conference*.
- Nikhil Kandpal, Haikang Deng, Adam Roberts, Eric Wallace, and Colin Raffel. 2023. Large language models struggle to learn long-tail knowledge. In *Proceedings of the 40th International Conference on Machine Learning*, volume 202 of *Proceedings of Machine Learning Research*, pages 15696–15707. PMLR.
- Jungo Kasai, Keisuke Sakaguchi, Yoichi Takahashi, Ronan Le Bras, Akari Asai, Xinyan Yu, Dragomir Radev, Noah A. Smith, Yejin Choi, and Kentaro Inui. 2022. RealTime QA: What's the answer right now? *arXiv preprint arXiv:2207.13332*.
- Victor Lavrenko and W. Bruce Croft. 2001. Relevance-Based language models. In *Proceedings of the 24th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval*, SIGIR '01, page 120–127, New Orleans, Louisiana. Association for Computing Machinery.
- Jimmy Lin, Xueguang Ma, Sheng-Chieh Lin, Jheng-Hong Yang, Ronak Pradeep, and Rodrigo Nogueira. 2021. Pyserini: A python toolkit for reproducible information retrieval research with sparse and dense representations. In *Proceedings of the 44th International ACM SIGIR Conference on Research and Development in Information Retrieval*, SIGIR '21, page 2356–2362, Virtual Event, Canada. Association for Computing Machinery.
- Iain Mackie, Shubham Chatterjee, and Jeffrey Dalton. 2023. Generative relevance feedback with large language models. In *Proceedings of the 46th International ACM SIGIR Conference on Research and Development in Information Retrieval*, SIGIR '23, page

2026–2031, Taipei, Taiwan. Association for Computing Machinery.

- Inbal Magar and Roy Schwartz. 2022. Data contamination: From memorization to exploitation. In *Proceedings of the 60th Annual Meeting of the Association for Computational Linguistics (Volume 2: Short Papers)*, pages 157–165, Dublin, Ireland. Association for Computational Linguistics.
- Yonggang Qiu and Hans-Peter Frei. 1993. Concept based query expansion. In *Proceedings of the 16th annual international ACM SIGIR conference on Research and development in information retrieval*, SI-GIR '93, page 160–169, Pittsburgh, Pennsylvania. Association for Computing Machinery.
- Stephen Robertson. 1990. On term selection for query expansion. *Journal of Documentation*, 46:359–364.
- Weiwei Sun, Lingyong Yan, Xinyu Ma, Shuaiqiang Wang, Pengjie Ren, Zhumin Chen, Dawei Yin, and Zhaochun Ren. 2023. Is ChatGPT good at search? investigating large language models as re-ranking agents. In Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing, pages 14918–14937, Singapore. Association for Computational Linguistics.
- Nandan Thakur, Nils Reimers, Andreas Rücklé, Abhishek Srivastava, and Iryna Gurevych. 2021. BEIR: A heterogeneous benchmark for zero-shot evaluation of information retrieval models. In *Thirty-fifth Conference on Neural Information Processing Systems Datasets and Benchmarks Track (Round 2).*
- Paul Thomas, Seth Spielman, Nick Craswell, and Bhaskar Mitra. 2023. Large language models can accurately predict searcher preferences. *arXiv preprint arXiv:2309.10621*.
- Liang Wang, Nan Yang, and Furu Wei. 2023. Query2doc: Query expansion with large language models. In *Proceedings of the 2023 Conference on Empirical Methods in Natural Language Processing*, pages 9414–9423, Singapore. Association for Computational Linguistics.
- Orion Weller, Kyle Lo, David Wadden, Dawn J Lawrie, Benjamin Van Durme, Arman Cohan, and Luca Soldaini. 2023. When do generative query and document expansions fail? a comprehensive study across methods, retrievers, and datasets. *arXiv preprint arXiv:2309.08541*.
- Ori Yoran, Tomer Wolfson, Ori Ram, and Jonathan Berant. 2023. Making retrieval-augmented language models robust to irrelevant context. *arXiv preprint arXiv:2310.01558*.
- Yue Zhang, Yafu Li, Leyang Cui, Deng Cai, Lemao Liu, Tingchen Fu, Xinting Huang, Enbo Zhao, Yu Zhang, Yulong Chen, Longyue Wang, Anh Tuan Luu, Wei Bi, Freda Shi, and Shuming Shi. 2023. Siren's song in the ai ocean: A survey on hallucination in large language models. *arXiv preprint arXiv:2309.01219*.

# A Appendix

# A.1 Instruction of CSQE

Query: "how are some sharks warm blooded"

Retrieved documents:

1. Most sharks are cold-blooded. Some, like the Mako and the Great white shark, are partially warmblooded (they are endotherms). Cold blooded although if you've ever seen a Great White Shark hunt sea lions you'd be thinking they would have to be hotblooded. Actually the Salmon Shark is a warm blooded shark.

2. Are sharks cold-blooded or warm-blooded? Sharks have a reputation as cold-blooded and despite how negative that term is, it is not entirely inaccurate. Sharks are by no means evil, vicious killers like that quote suggests. Nonetheless, sharks are, for the most part anyways, efficient ectothermic predators. Endo vs Ecto.

3. Great white sharks are some of the only warm blooded sharks. This allows them to swim in colder waters in addition to warm, tropical waters. Great White sharks can be found asâ' north as Alaska and as south as the southern tip of South America. They exist worldwide, everywhere in-between. 5 people found this useful.

4. Sharks' blood gives them turbo speed. Several species of shark and tuna have something special going on inside their bodies. For a long time, scientists have known that some fish species appear warm-blooded. Salmon sharks can elevate their body temperatures by up to 20 degrees compared to the surrounding water, for example.

You will begin by examining the initially retrieved documents and identifying the ones that are relevant, even partially, to the query. Once the relevant documents are identified, you will extract the key sentences from each document that contribute to their relevance.

Based on the query "how are some sharks warm blooded", I have examined the initially retrieved documents. Here are the relevant documents and the key sentences extracted from each: Document 1:

"Most sharks are cold-blooded. Some, like the Mako and the Great white shark, are partially warm-blooded (they are endotherms)."

"Actually, the Salmon Shark is a warm-blooded shark."

Document 3:

"Great white sharks are some of the only warm-blooded sharks."

"This allows them to swim in colder waters in addition to warm, tropical waters." Document 4:

"Salmon sharks can elevate their body temperatures by up to 20 degrees compared to the surrounding water, for example."

Query: "{*q*}" Retrieved documents: 1. {*d*<sub>1</sub>} 2. {*d*<sub>2</sub>}

∠. լ*ս*։ ...

 $\{k\}.\ \{d_k\}$ 

You will begin by examining the initially retrieved documents and identifying the ones that are relevant, even partially, to the query. Once the relevant documents are identified, you will extract the key sentences from each document that contribute to their relevance.

# A.2 Dataset Statistics

Details about the retrieval datasets are shown in Table 9.

| Dataset    | #Test | #Corpus   |
|------------|-------|-----------|
| DL19       | 43    | 8,841,823 |
| DL20       | 50    | 8,841,823 |
| Scifact    | 300   | 5183      |
| Arguana    | 1406  | 8674      |
| Trec-Covid | 50    | 171,332   |
| FiQA       | 648   | 57,638    |
| DBPedia    | 400   | 4,635,922 |
| TREC-NEWS  | 57    | 594,977   |
| NovelEval  | 21    | 420       |
|            |       |           |

 Table 9: Dataset Statistics

# A.3 CSQE with Different LLMs on DL20

| Model                        | mAP  | nDCG@10 | Recall@1k |
|------------------------------|------|---------|-----------|
| BM25+CSQE<br>Llama2-Chat-70B | 41.4 | 61.5    | 86.5      |
| GPT-3.5-Turbo                | 46.5 | 66.2    | 89.1      |
| BM25+KEQE                    |      |         |           |
| Llama2-Chat-70B              | 42.0 | 58.5    | 85.2      |
| GPT-3.5-Turbo                | 42.8 | 60.5    | 88.3      |
| reference.                   |      |         |           |
| DPR                          | 41.8 | 65.3    | 81.4      |
| ANCE                         | 40.8 | 64.6    | 77.6      |
| Contriever <sup>FT</sup>     | 43.6 | 63.2    | 85.8      |

Table 10: Results of CSQE with different LLMs on DL20.